



A.W. Jenkinson

WOODWASTE LTD

A W JENKINSON WOODWASTE LTD

B Grade Waste Wood Specification for Recycling

General Requirements:

Acceptable B Grade Wood Wastes are typically:

- Wooden furniture, laminated kitchen worktops, drawers and cupboards can now be recycled.
- Wood-based panels such as Hardboard, Plywood, OSB are acceptable, including - Hardboard Doors, Cane Furniture & Hardboard Shop fitting type structures.
- Window Frames or Doors from Demolition Timber is acceptable, provided it meets the criteria for no Contraries, i.e. No with glass panels.
- Please note Green Waste and Round timber is excluded from this specification

All wood waste must be free of contraries & contaminants such as:

- Glass, dirt, brick, concrete ,stone, rubber, foam, polythene, plastics, paper, cardboard, cloth, wire cable and rope which are all unacceptable in all wood recycling.
- **Material containing MDF and laminate will be classed as C Grade and charged accordingly**
- Burnt or charred material is not acceptable.
- Wood contaminated with felt, tar or oil-based preservatives (i.e. sleepers & telegraph poles) with Creosote is not acceptable.
- Any Structures coated with any CCA Treatment must be discarded as unsuitable feedstock to all Wood Recycling.

Incoming Acceptance/Rejection Procedure

1. All vehicles load will be inspected prior to offloading
2. If load is acceptable then driver is instructed to proceed off-loading to waste wood stockpile.
3. Once off-loaded the load is further examined in greater detail for any non-conforming material.
4. Any minor non-conforming material will then be picked & deposited in the waste container for disposal to landfill.
5. Any major non-conformance will be either:
 - a) relocated to the Low Grade Stockpile or
 - b) returned to supplier for re-sorting.

Only then will material be accepted to the waste wood stockpile for reprocessing.



A.W. Jenkinson

WOODWASTE LTD

The *Packaging Percentage Content* is then noted on the delivery ticket for information to be updated at weighbridge for Packaging Waste Percentage Records.

At each stage site operatives will communicate with the Site Manager who will communicate with the supplier. Photographs will be taken of any major non-conformance and emailed or faxed to the supplier. Records will be kept with the Site Manager for each supplier.

Records of communications and photographs are kept on file for each supplier for a minimum of two years in line with current Duty of Care legislation.

Signed by Supplier:

Position:

Date: